



## ARCHEAN TECHNOLOGIES

1899 avenue d'Italie - 82000 MONTAUBAN FRANCE


Tel : + 33 (0) 5 63 93 50 00 - Fax : + 33 (0) 5 63 03 72 99

## DESP619T-W & DESP625T-W

6 W / 10 W / 15 W 100 V spherical speaker

1 year warranty

- FIRE RESISTANT/PROTECTED
- AGELESS FORM STABLE
- 50 Hz STABLE 100V TRANSFORMER
- OUTSTANDING LOUDSPEAKER QUALITY



- POWER SAVING THROUGH HIGH SOUND PRESSURE LEVEL
- CUSTOM COLOUR & CHROME PLATED VERSIONS OBTAINABLE
- 2 WAY & 8 OHM & 10/20/30W VERSIONS AVAILABLE
- CUSTOM VERSIONS IN ALL KINDS OBTAINABLE
- DIFFERENT CABLE LENGTHS WITH STEEL CORE AVAILABLE

Specifications	DESP619T-W	DESP625T-W
Nominal output	6 W	10/15 W
W available	6 / 3 / 1.5 W 100 V	6 / 3 / 1.5 W 100 V
Bandwidth	80 - 15000 Hz	70 - 18000 Hz
SPL 1W/1m	94 dB	95 dB
SPL 6 W/1m	112 dB	103 dB
SPL 1 W/1m max	100 dB (1.5 kHz)	102 dB (3.5 kHz)
SPL 6 W/1m max	108 dB (1.5 kHz)	110 dB (3.5 kHz)
Radiation	360° (1 kHz)	360° (1 kHz)
Material	ABS	ABS
Environment	Inside	Inside
Dimensions mm	Dia 180	Dia 252
Weight kg	1.5	2.5
Colour	RAL 9010	RAL 9010



## ARCHEAN TECHNOLOGIES


1899 avenue d'Italie - 82000 MONTAUBAN FRANCE  
Tel : + 33 (0) 5 63 93 50 00 - Fax : + 33 (0) 5 63 03 72 99

## DESP1018T-W / DESP1018T-S DESP1015T-W

6 W 100 V Metal white or brushed version spherical speaker  
6 W 100 V ABS white spherical speaker

1 year warranty

- 6W & 10W VERSION
- FIRE RESISTANT (METAL) / LOW FLAMMABILITY (ABS)
- FORMSTABLE METAL CABINET / HIGHLY STABLE ABS CABINET
- HIGH SPEECH INTELLIGIBILITY
- POWER SAVING THROUGH HIGH SOUND PREASSURE LEVEL



- CUSTOM COLOUR & CHROME PLATED VERSIONS OBTAINABLE
- WEATHER PROOF VERSIONS OPTIONAL
- BRUSHED STAINLESS STEEL LOOK AVAILABLE
- 2 WAY & 8 OHM & 10/20/30W VERSIONS AVAILABLE

Specifications	DESP1018T-W	DESP1018T-S	DESP1015T-W
Nominal output	10 / 15 W	10 / 15 W	10/15 W
W available	10 / 6 / 3 W 100 V	10 / 6 / 3 W 100 V	10 / 6 / 3 W 100 V
Bandwidth	120 - 16000 Hz	120 - 16000 Hz	120 - 16000 Hz
SPL 1W/1m	95 dB	95 dB	95 dB
SPL 10 W/1m	105 dB	105 dB	105 dB
SPL 1 W/1m max	100 dB (5 /7 kHz)	100 dB (5 /7 kHz)	100 dB (5 /7 kHz)
SPL 10 W/1m max	110 dB (5/7 kHz)	110 dB (5/7 kHz)	110 dB (5/7 kHz)
Radiation	360° (1 kHz)	360° (1 kHz)	360° (1 kHz)
Material	Alu	Alu	ABS
Environment	Inside	Inside	Inside
Dimensions mm	Dia 180	Dia 180	Dia 180 H 155
Weight kg	1.7	1.7	1.2
Colour	White	Brushed V2A look	White



## ARCHEAN TECHNOLOGIES


1899 avenue d'Italie - 82000 MONTAUBAN FRANCE  
Tel : + 33 (0) 5 63 93 50 00 - Fax : + 33 (0) 5 63 03 72 99

## DESP3022T-W & DESP3022T-S

Sphère 30W 100 V blanche ou alu brossé

1 year warranty

- 6,5" HIGH-SPL-II-WAY-SYSTEM FOR MUSIC & SPEECH
- FIRE-RESISTANT / LOW FLAMMABILITY
- FORMSTABLE METAL-CABINET
- SAFETY-CABLE WITH STEEL-CORE AND BALDACHIN
- POWER-SAVING THROUGH HIGH SOUND-PREASURE-LEVEL



- BRUSHED STAINLESS-STEEL LOOK FOR HIGHER QUANTITIES AVAILABLE
- 50-HZ-STABLE
- 100-V-TRANSFORMER
- OPTIONAL CERAMIC-CLAMP & THERMO-FUSE AVAILABLE

Specifications	DESP3022T-W
Nominal power	30W 2 ways
Power available	30 / 20 / 10 W 100 V
Frequency range	70 - 20000 Hz
SPL 1W/1m	97 dB
SPL 30 W/1m	111.5 dB
Radiation	360° at 1kHz
Material	Metal
Environment	Inside
Dimensions mm	Dia 220
Weight kg	2.4 app
Colour	White or brushed style